

UK COMPACT WASHROOM COLLECTION

26 Decors available in 12mm CGS and 0.5mm CPL-PF

UK Compact Washroom Collection




K535 BS
Gold Baroque Oak




K084 BS
Dark Artwood



7648 BS
Vintage Wenge




K016 BS
Carbon Marine Wood



8681 BS
Brilliant White




8685 BS
Snow White



0191 BS
Cool Grey



0540 BS
Manhattan Grey



0197 BS
Chinchilla Grey



0171 BS
Slate Grey



0164 BS
Anthracite



0190 BS
Black



0541 BS
Ivory



K515 BS
Spice Red



8984 BS
Navy Blue



0125 BS
Royal Blue

Features



CHEMICAL
RESISTANT



HIGH
IMPACT



WATER
RESISTANT



EASY TO
MAINTAIN




FIRE
RESISTANT
According to EN 13501,
DIN 4102, EN 438.



HYGIENIC



ANTI-
BACTERIAL



5994 BS
Alby Blue



K517 BS
Azure Blue



K518 BS
Surf Blue



7190 BS
Mamba Green



9561 BS
Oxide Green



K521 BS
Smoke Green



K520 BS
Dark Emerald




0134 BS
Sunshine



0132 BS
Orange



7113 BS
Chilli Red



All decors are available for delivery from Chirk.

Thanks to the responsible process, the production of **Washroom Boards** compared to standard HPL board consumes:



90%
LESS WATER



56%
LESS ENERGY



72%
LESS CRUDE OIL

Washroom board requires 90% less water than standard HPL board to produce; 10L of water per 1m² compared to 95L of water per 1m².

Energy-wise, washroom board involves raw board manufacturing and pressing processes, consuming 0,0330 MWh/m² for 12.5 mm thick product.

HPL board production requires paper manufacturing, phenolic impregnation and pressing stages, consuming 0,0750 MWh/m² for the same thickness. That means the HPL process uses approximately 125% more energy.

Crude oil consumption can be directly referenced as phenol content per m² of product and may be obtained from phenolic resin in both products. The crude oil involvement in standard HPL product is 150% higher; 50% compared to just 22% for washroom board.

Uni Colours	LRV [%]			Colour Matches	
	BS-Compact	BS-CPL	RAL Code	NCS Code	Pantone Code
8681	Brilliant White	0.82	0.83		S 0505-R708
8685	Snow White	0.86	0.88	9016	S 0500-N
0191	Cool Grey	0.62	0.63		1502-G 427-G
0540	Manhattan Grey	0.50	0.51		S 2500-N
0197	Chinchilla Grey	0.37	0.38		S 3000-N Warm Grey 6 C
0171	Slate Grey	0.26	0.27	7037	S 4500-N Cool Grey 8 C
0164	Anthracite	0.11	0.12	7043	S 7502-G Cool Grey 11 C
0190	Black	0.07	0.07	9004	S 8502-B Process Black C
8984	Navy Blue	0.07	0.08	5011	S 7020-R80B 533 C
0125	Royal Blue	0.12	0.12	5005	S 3060-R90B 7685 C
5994	Alby Blue	0.12	0.12		S 6010-R90B 5405 U
K517	Azure Blue	0.25	0.25	260 60 35	S 1555-R80B 659 C
K518	Surf Blue	0.60	0.61	240 80 15	S 1020-R90B 543 C
7190	Mamba Green	0.44	0.45		S 0580-G30Y 368 C
9561	Oxide Green	0.20	0.21	6029	S 3060-G20Y 349
K521	Smoke Green	0.16	0.16	130 40 10	S 6005-G20Y 4182 C
K520	Dark Emerald	0.09	0.09	6004	S 7010-B70G 5477 C
0514	Ivory	0.80	0.81		0505-Y20R
0134	Sunshine	0.60	0.62		S 0560-Y10R 136 C
0132	Orange	0.38	0.38	2000	S 0585-Y40R 158 C
7113	Chilli Red	0.26	0.27	3020	1085-Y85R 1795 C
K515	Spice Red	0.09	0.10		S 6030-R20B 7644 C

Wood Decors	LRV [%]	
	BS-Compact	BS-CPL
K084 Dark Artwood	0.35	0.40
K535 Gold Baroque Oak	0.29	0.30
7648 Vintage Wenge	0.12	0.11
K016 Carbon Marine Wood	0.08	0.09

Compact CGS		
Format 2800 x 2040 mm	Thickness	12 mm
	pcs/pack	12
	packs/truck	19

CPL with Overlay PF		
Format 3050 x 1310 mm	Thickness	0.5 mm
	pcs/pack	10



www.kronospan.com

kronospan

www.kronospan.com



Kronospan Limited
Chirk, Wrexham, LL14 5NT
Phone: 01691 773361
Email: sales@kronospan.co.uk