



HYGIENE CERTIFICATE

Nr: 590210010

Kronospan Polska Sp. z o.o.
Waryńskiego 1
78-400 Szczecinek, Poland

CERTIFICATE HOLDER

Kronospan Polska Sp. z o.o.
Waryńskiego 1
78-400 Szczecinek, Poland

MANUFACTURER

PARTICLEBOARD TYPE P2 (E1)

PRODUCT NAME

TRADE NAME: PB P2 EN717
THICKNESS RANGE: 11-40 mm
use of the product in:

- **rooms category A***: residential and also intended for permanent stay of patients, rooms for children and adolescents in education buildings and food storage rooms - the material load should not exceed the value of **0.6 m²/m³**.
- **rooms category B***: in public utility buildings other than the above-mentioned and auxiliary rooms in flats - the material load should not exceed **1.2 m²/m³**.

Recommendations: the rooms containing the products covered by the certificate should be ventilated until the odor disappears.

*categories of rooms in accordance with the Regulation of the Minister of Health and Social Welfare of 1996.03.12, No. 19, item 231.

Hygiene class: **E1**, as required: **≤0.124 mg/m³** on the basis of the report **No. 123_PL/2021/2** Research and Development Center, Waryńskiego 1, 78-400 Szczecinek

MODEL / TYPE / DESCRIPTION

2021.08.02

DATE OF ISSUE

2022.08.01

EXPIRATION DATE

CERTIFICATION MANAGER



Warsaw, 2021.08.02

GREEN ANGEL Sp. z o.o., ul. Mokotowska 49, 00-542 Warsaw, Product Certification Body, www.green-angel.pl

The certificate applies only the products having identical characteristics as the test sample and complies the requirements given above.